Allows compliance with:



ISO 21 CFR Part 11 7218



SphereFlash® Automatic Colony Counter

Pharmaceutical | Food & Beverage | Environment | Cosmetics

Product Overview

The SphereFlash[®] is an Automatic Colony Counter that meets all the requirements of modern microbiology laboratories while increasing their throughput.

SphereFlash[®] is a one-size-fits-all solution that reads automatically different types of plates with the same instrument.





COMPACT DRY™





SPIRAL



SPREAD/POUR



INHIBITION ZONE

CHROMOGENIC AGAR, BLOOD AGAR, CHOCOLATE AGAR...



Main benefits

Utmost accuracy

Finest image capture for better, more reliable, and consistent results thanks to optimized image acquisition.

One-size-fits-all

A single device for all types of plates. The adapters and centering devices designed to fit various diameters enable to switch plate anytime.

Compatible with SphereFlash[®] Al Audit Trail & User Management

Count the CFU in just one click with the powerful Artificial Intelligence of SphereFlash® AI Colony Counting Software.

Wide range of colony counting

Easy & intuitive powerful softwares. Even the LITE version will detect a wide range of colony types with minimal or no user parametrization.

SphereFlash[®] AI, Colonies PRO and Halos PRO softwares comply with 21 CFR Part 11. Their security-relevant chronological set of records will provide documentary evidence of the sequence of activities that have affected a specific operation.

High resolution


SphereFlash[®] is capable of detecting colonies of 0.3 mm using Colonies LITE Software and 0.046 mm using Sphere-Flash[®] AI and Colonies PRO Softwares.

-1www.iul-instruments.com


Softwares



As we understand that resources are limited we designed the SphereFlash[®] with a small footprint and scalable software. Use only the features you need and add new capabilities as your lab work requires with our **desktop-based** softwares.



Accuracy of counting



Workflow



Place the Petri Dish in the **centring device** of SphereFlash[®].



Choose the method you want to apply according to your plate.



SphereFlash[®] counts the colonies in 2 seconds.



Obtain your report and print it in PDF.

Reflection-Free Illumination

The lighting is done through LEDs oriented to the internal wall of a moving spheric chamber and comes from above and/or below the chamber. The result is an unprecedented uniform and reflection-free illumination in both colonies and petri plates.

The moving sphere automatically closes the chamber and prevents the area from any external light.





Technical data and computer requirements*

Dimensions	288x220x371mm (1.34x8.66x14.6 in)	
Weight	5,5Kg (12.13 lb)	
Processor	PassMark CPU Mark from 2500 to 8000 points	
RAM	8GB	
Interface	1 free USB 3.0 Port	
Screen resolution	FullHD screen (1920x1080) recommended	
Applications	Microsoft Excel [®] 2007 or higher, 64 bits to open exported Excel [®] files Virtual PDF printer to create PDF reports	
Software specifications	SphereFlash® Al Colony Counting Software	Colonies LITE Colonies PRO Halos PRO
Internet connectivity	Required	-
Operating system	Microsoft Windows® 10, 11 (x64 platforms)	Microsoft Windows [®] 7, 8.1, 10, 11 (x64 platforms)
Free disk space	100MB	App: 100MB Database: 10GB (5000 results & images)

Specifications subject to change without notice. *Computer not included.

Ensure your samples are prepared the best way for SphereFlash®



Eddy Jet 2W – Spiral plater

Eddy Jet 2W standardizes and streamlines plate inoculations with its patented crosscontamination-free technology.

Accessories and spare parts

- 1. USB Super Cable 3.0 Cat. 90001960
- 2 AC-DC Industrial Adaptor 12V 9. Centering device 65-70 mm ø Cat. 90004013
- Cat. 900011876
- 4. Verification disk for Colonies 11. Compact Dry™ adapter Cat. 90004113
- 5. Calibration disk Cat. 900010081
- 6. Pattern for 6 halos (10 units) 13. MC-MEDIA® adapter Cat. 90002131
- 7. Pattern for 4 halos (10 units) Cat. 90002132

For more information visit us at:

- 8. Centering device ~87-91 mm ø Cat. 900013473
 - Cat. 900013513
- 3. Verification disk for Halos 10. Centering device 54-60 mm ø Cat. 900013512
 - Cat. 900013524
 - 12. Petrifilm™ adapter Cat. 900013525
 - Cat. 900013537



Spin Air - Air Sampler

With its rotatory system, microorganisms stay on the plate in spiral homogeneously distributed in the Petri dish.

Ordering Information

- 1. SphereFlash[®] Colony Counter unit (includes Colonies LITE software) Cat. 90007000
- 2. Colonies PRO software Cat. 90007001
- 3. Halos PRO software Cat. 90007002
- 4. SphereFlash[®] Al Colony Counting Software Cat. 90007003 (Image pack) Cat. 90007004 (Storage pack)



For more information about SphereFlash[®], scan the QR code



IUL SA Carrer de la Ciutat d'Asunción, 4 - 08030 Barcelona (Spain)

www.iul-instruments.com